























































































































Code de produit	Image	Description	Prix (\$CDN)
<b>Standalone DVR</b> <span style="float:right">Optional: 500GB SATA HDD add \$75.00 / 1TB SATA HDD add \$135.00 / SATA DVD-RW add \$45.00</span>			
SED-DVR-SVD551 4CH DVR		4CH Video/Audio, H.264 DVR, USB Mouse Control with GUI Display, 120FPS, 704x480 Resolution, Support 1 SATA HDD (Up to 2TB), VGA, BNC, USB 2.0 flash drive/network Back up, Network, IR Remote Control, Event Notification by FTP & E-Mail, 2X Digital Picture Zoom, PTZ Control, 4 Alarm Input, 1 Output, Auto Recovery after power failure (USB Mouse Optional)	268,50 \$
SED-DVR-6104 4CH DVR		H.264/Audio & Video/7 Inch TFT Monitor /Network/Support 1T SATA HDD/Mouse/USB/ Remote Controller/ Support 3G Mobile Surveillance, Free USB Optical Mouse Included, Supply DC12V power for 4 cameras	315,00 \$
SED-DVR-6008 8CH DVR		SVD6008, Economical H.264 Real Time Network DVR (Remote View) USB Mouse Control (with GUI Display) Embedded LINUX operating system/16-bit true color graphical menu, support mouse operation/H.264/D1,1/2D1, CIF adjustable/240FPS/8CH BNC/2BNC & 1VGA Video Output/8CH Audio/1/4/9 window display/Local Playback Free USB Optical Mouse Included	294,00 \$
SED-DVR-SVD556 8CH DVR		SVD556 8 Channel H.264 Network DVR (Remote View) USB Mouse Control (with GUI Display) Real time display/recording, 240FPS, 8 Channels H.264 Video, 4 Channels Audio, VGA up to 1600 x 1200, Support 2 SATA HDD (Up to 2TB each), USB Back up, Remote Access, Up to 704x480 resolution, PTZ control, 2x digital zoom, With DVD-RW Support, Multiplex Operation, Quick Search, Easy Backup, CMS support up to 16 IP Address, Low Cost Network Setup, Easy & Free Upgrade, Free USB Optical Mouse Included	698,60 \$
SED-DVR-SVD558 16CH DVR		SVD558, 16 Channel H.264 Network DVR (Remote View) USB Mouse Control (with GUI Display) Real time display/recording, 480FPS, 16 Channels H.264 Video, 4 Channels Audio, VGA up to 1600 x 1200, Support 2 SATA HDD (Up to 2TB each), USB Back up, Remote Access, Up to 704x480 resolution, PTZ control, 2x digital zoom With DVD-RW Support, Multiplex Operation, Quick Search, Easy Backup, CMS support up to 16 IP Address, Low Cost Network Setup, Easy & Free Upgrade, Free USB Optical Mouse Included	778,70 \$
SED-DVR-MP32CH 32CH DVR		32 Channels DVR, Support iPhone, H.264, 16CH Audio, Support 6 SATA HDD Support DDNs/DVD/USB Backup/VGA, Mouse Support/D1 704x480 (NTSC)	1 998,75 \$
<b>Wall Mount DVR Serie (H.264 Vandal Proof DVR)</b> <span style="float:right">Optional: 500GB SATA HDD add \$75.00 / 1TB SATA HDD add \$135.00</span>			
SED-DVR-WD810H 8CH DVR		Wall Mount H.264 Vandal Proof DVR, 8CH, Build in 10.2" Wide LCD, Dual Streaming, Web Client, Watermark, Audio Recording and two way audio, multiple control methods, Motion Detection, Video Loss, various back up support: USB, Alarm triggering screen tips, buzzer, PTZ preset, email, iPhone View, Support 2 SATA HDD	1 300,00 \$
SED-DVR-WD1610H 16CH DVR		Wall Mount H.264 Vandal Proof DVR, 16CH, Build in 10.2" Wide LCD, Dual Streaming, Web Client, Watermark, Audio Recording and two way audio, multiple control methods, Motion Detection, Video Loss, various back up support: USB, Alarm triggering screen tips, buzzer, PTZ preset, email, iPhone View, Support 2 SATA HDD	1 475,00 \$
<b>Mobile DVR</b> <span style="float:right">Optional: 500GB SATA HDD add \$75.00 / 1TB SATA HDD add \$135.00</span>			
SED-DVR-CAR4001		Professional 4CH Real Time H.264 Mobile DVR, Industrial ARM9 Processor, Linux system, H.264, D1, HD1 and CIF, Support 1 2.5" SATA HDD up to 1000GB, Record 60 days at CIF, 120FPS Real Time, USB Memory backup, RJ45 Network Port, Wireless 3G (EVD0), Remote Control, 9-32V DC In	590,80 \$
SED-DVR-CAR400		The PatrolMan Dual Camera Black Box Car Recorder & GPS Logger	488,60 \$
<b>Hybrid DVR + NVR</b> <span style="float:right">Optional: 500GB SATA HDD add \$75.00 / 1TB SATA HDD add \$135.00</span>			
DS-9008HFI-S		Hikvision Hybrid 4CH H.264, 720P, 240/240, Network, 2 USB, VGA, 2 Composite Out, 4 Audio, DVDRW, 8CH+8IP, up to 8 SATA HDD	2 125,00 \$
DS-9016HFI-S		Hikvision Hybrid 4CH H.264, 720P, 480/480, Network, 2 USB, VGA, 2 Composite Out, 4 Audio, DVDRW, 16CH+8IP, up to 8 SATA HDD	3 468,00 \$
<b>QNAP Pro VioStor NVR</b> <span style="float:right">Optional: 500GB SATA HDD add \$75.00 / 1TB SATA HDD add \$135.00</span>			
VS-2008 PRO		Real time monitoring and recording (video/audio) from multiple IP camera (up to 8 channels), High quality H.264, MPEG-4, M-JPEG, and MxPEG recording, Megapixel recording up to 8 megapixel, PC-less network surveillance by HD local display, Multi-server monitoring (up to 120 channels), Dual display mode, video search by date and time, timeline and event, Digital watermarking, Real time SMS and email alert, Live monitoring on Windows PDA phone by VSMobile, Support 2 3.5" SATA HDD	1 373,75 \$
VS-2012 PRO		Real time monitoring and recording (video/audio) from multiple IP camera (up to 16 channels), High quality H.264, MPEG-4, M-JPEG, and MxPEG recording, Megapixel recording up to 16 megapixel, PC-less network surveillance by HD local display, Multi-server monitoring (up to 120 channels), Dual display mode, video search by date and time, timeline and event, Digital watermarking, Real time SMS and email alert, Live monitoring on Windows PDA phone by VSMobile, Support 2 3.5" SATA HDD	1 623,75 \$
VS-4008 PRO		QNAP VS-4008 Pro Series VioStor NVR is the professional standalone network video surveillance systems designed to meet the high security demand of the small and medium-size business (SMB) and enterprises. The Linux-based system supports PC-less quick configuration, monitoring of IP cameras over the network, and video playback by connecting a monitor to the built-in VGA connector, a USB keyboard, and a USB mouse. The VioStor NVR supports H.264, MxPEG, MPEG-4, and M-JPEG recording, megapixel recording, and up to 8 TB storage capacity. It is compatible with over 800 models from popular IP cameras brands, including AXIS, ACTi, A-MTK, Arecont Vision, AVTECH, Brickcom, Canon, Cisco, CNB, DIGITUS, D-Link, EDIMAX, ELMO, Etrovision, GANZ, Hikvision, iPUX, IPX, IQeye, LevelOne, Linksys, Messoa, MOBOTIX, NAKAYO, Panasonic BB/ BL/ i-Pro, SANYO, SHANY, SONY, TOA, TOSHIBA, TRENDnet, Videosec, VIOSECURE, VIVOTEK and Y-CAM.	1 873,75 \$
VS-4012 PRO		QNAP VS-4012 Pro Series VioStor NVR is the professional standalone network video surveillance systems designed to meet the high security demand of the small and medium-size business (SMB) and enterprises. The Linux-based system supports PC-less quick configuration, monitoring of IP cameras over the network, and video playback by connecting a monitor to the built-in VGA connector, a USB keyboard, and a USB mouse. The VioStor NVR supports H.264, MxPEG, MPEG-4, and M-JPEG recording, megapixel recording, and up to 8 TB storage capacity. It is compatible with over 800 models from popular IP cameras brands, including AXIS, ACTi, A-MTK, Arecont Vision, AVTECH, Brickcom, Canon, Cisco, CNB, DIGITUS, D-Link, EDIMAX, ELMO, Etrovision, GANZ, Hikvision, iPUX, IPX, IQeye, LevelOne, Linksys, Messoa, MOBOTIX, NAKAYO, Panasonic BB/ BL/ i-Pro, SANYO, SHANY, SONY, TOA, TOSHIBA, TRENDnet, Videosec, VIOSECURE, VIVOTEK and Y-CAM.	2 123,75 \$
VS-4016 PRO		QNAP VS-4016 Pro Series VioStor NVR is the professional standalone network video surveillance systems designed to meet the high security demand of the small and medium-size business (SMB) and enterprises. The Linux-based system supports PC-less quick configuration, monitoring of IP cameras over the network, and video playback by connecting a monitor to the built-in VGA connector, a USB keyboard, and a USB mouse. The VioStor NVR supports H.264, MxPEG, MPEG-4, and M-JPEG recording, megapixel recording, and up to 8 TB storage capacity. It is compatible with over 800 models from popular IP cameras brands, including AXIS, ACTi, A-MTK, Arecont Vision, AVTECH, Brickcom, Canon, Cisco, CNB, DIGITUS, D-Link, EDIMAX, ELMO, Etrovision, GANZ, Hikvision, iPUX, IPX, IQeye, LevelOne, Linksys, Messoa, MOBOTIX, NAKAYO, Panasonic BB/ BL/ i-Pro, SANYO, SHANY, SONY, TOA, TOSHIBA, TRENDnet, Videosec, VIOSECURE, VIVOTEK and Y-CAM.	2 373,75 \$
<b>NUUO NVR Mini</b>			
NV-4080-US		NAS Based Standalone NVR, 8 Channels 4 Bay	1 430,00 \$
NV-4160S-US		NAS Based Standalone NVR, 16 Channels 4 Bay	2 590,80 \$
<b>DVR Capture Boards - DVR NET Series</b>			
SED-DVR-NET416		4 channel video/1 channel TV out/120FPS display/120FPS recording/H.263 compression/IE view/motion detection/watermark/640x480/Support up to 16 channels video with extension	88,00 \$
SED-DVR-NET8800		8 channel video/240FPS display/240FPS recording/H.263 compression/IE view/motion detection/watermark/640x480/support up to 2 cards in one system for 16 channels video/support Windows 2000/XP	152,00 \$
SED-DVR-EXT-V4		4 Port Extension Adaptor Can use for NET416 to extend the channels to 8 channels and 16 channels	32,00 \$
<b>DVR Capture Boards - Avermedia</b>			

Code de produit	Image	Description	Prix (\$CDN)
SED-DVR-EYESPRO		AverMedia 4 Eyes Pro, 30FPS, 4 Channels Video IE Remote View, Support up to 4 cards in one PC, Excellent for Home or Small Business System Requirement: CPU: P3 1.8GHz or above, RAM: 32MB or higher, Motherboard: Intel Chipset, Support 12 languages, Window2000/XP	110,40 \$
SED-DVR-MP5000		AverMedia MP5000, 120FPS, 4 Channels Video IE remote view/motion detection/motion JPEG/640x480/support Windows 2000/XP	223,50 \$
<b>DVR Capture Boards - Smart DVR Series</b>			
SED-DVR-DVR800		Smart DVR800 DVR Card, up to 16 Channels Video, 4 Channel Audio, Motion Detection, alarm function, Remote View, POS data capture, 120FPS recording & display, 720x480 High Resolution, MPEG4, H.264 Compression Format, Support Windows 2000, XP, Windows Server 2003, Vista	476,00 \$
SED-DVR-800G		Smart DVR800G DVR Card, up to 32 Channels Video, 4 Channel Audio, Motion Detection, alarm function, Remote View, POS data capture, 120FPS recording & display, 720x480 High Resolution, MPEG4, H.264 Compression Format, Support Windows 2000, XP, Windows Server 2003, Vista	546,00 \$
SED-DVR-DVR1480		Smart DVR1480 Real Time DVR Card, up to 16 Channels Video, 16 Channel Audio, Motion Detection, alarm function, Remote View, POS data capture, 480FPS recording & display, 720x480 High Resolution, MPEG4, H.264 Compression Format, Support Windows 2000, XP, Windows Server 2003, Vista, With TV Out	778,70 \$
<b>Hybrid DVR Card</b>			
DS4004HC		Hikvision H264 hardware encode, PCI, 4CH Video/Audio, Dual Stream, 120FPS@CIF, 2ch.60FPS@D1, iPhone, BlackBerry, Window 7, 64/32 bits	345,80 \$
DS4008HC		Hikvision H264 hardware encode, PCI, 8CH Video/Audio, Dual Stream, 240FPS@CIF, 4ch.120FPS@D1, iPhone, BlackBerry, Window 7, 64/32 bits	613,20 \$
DS4016HC		Hikvision H264 hardware encode, PCI, 16CH Video/Audio, Dual Stream, 480FPS@CIF, 8ch.240FPS@D1, iPhone, BlackBerry, Window 7, 64/32 bits	1 002,30 \$
DS4016HFV		Hikvision H264 hardware encode, PCI, 16CH Video/Audio, Dual Stream, 480FPS@D1, iPhone, BlackBerry, Window 7, 64/32 bits	1 163,50 \$
<b>USB DVR</b>			
SED-DVR-USB3104		USB2.0 4 Channels Video/2 Channels Audio DVR Adaptor (IE Remote View) USB2.0 DVR/4 channels video/2 channels audio/MPEG4/alarm notification by e-mail or mobile phone/Dynamic IP acceptable/IE view	78,40 \$
<b>GPS Tracking Devices</b>			
SED-GPS-ITRAIL		iTrail GPS Tracker A passive GPS logger, simply place the small iTrail unit wherever you like – your car, child's backpack, virtually anywhere! At only 1.5" x 1.5" small, the logger records location, speed, time, and display this information on an easy to use interface powered by google maps and google earth	238,50 \$
ITRAIL-CASE		iTrail Magnetic Case	96,00 \$
SED-GPS-010		ESCORT, entourage PS GPS portable vehicle security and location awareness, Monthly service plan required (Live Tracking On Line)	419,99 \$
SED-DVR-CAR400		The PatrolMan Dual Camera Black Box Car Recorder & GPS Logger	488,60 \$
<b>NEW ALL Digital Wireless Camera + Receiver Combos</b>			
SED-CAM-WL1192		Digital Indoor/Outdoor Wireless USB Camera + Receiver Combo Set Remote View / Motion Detection No Wireless Interference	249,00 \$
SED-CAM-WL1190		2.4GHz Digital Wireless Indoor/Outdoor Camera Set with A/V Output and USB, A/V Output to TV or DVR, USB Output to computer, Remote View / Motion Detection, No Wireless Interference	320,60 \$
SED-CAM-WL1240		Covert Digital Wireless Cube Alarm Clock Hidden Camera Remote View / Motion Detection No Wireless Interference	390,60 \$
SED-CAM-WL1244		Covert Digital Wireless Digital Picture Frame with USB Receiver Remote View / Motion Detection No Wireless Interference	474,60 \$
<b>Spy Gadgets</b>			
SED-SPY-P9900		Read & Edit Private Data Including Deleted Texts from Any SIM Card & Smart Card	180,00 \$
SED-SPY-P9901		Cell Phone Recon – The next generation in Mobile phone monitoring! Record SMS text messages, keep track of a mobile phone's location, record and listen to conversations, and monitor emails. Does not work on Apple iPhones	229,50 \$
SED-SPY-KL338		PS2 Keyboard Logger Records every key pressed on a computer keyboard – Storing an exact copy of everything typed by the user! Good for parent monitoring their children's computer and internet use, employers in a company monitoring the way computers are used during work time etc	107,20 \$
SED-SPY-PC400		Spy Cobra Computer Spy, Easy to use undetectable total computer spying tool covertly monitors everything, passwords, chatting, photos, websites & more!	213,00 \$
SED-SPY-VOICE2		USB Flash Drive Voice Recorder (2GB) 40 Hours Voice Recording, 4 hours battery when fully charged, No software to install, No cables or batteries to worry about	64,00 \$
SED-SPY-FINDER		Spy Finder Personal/Hidden Camera Locator Visual detection of any hidden or spy camera. The only detector on the market that can detect cameras not in operation, it detects wireless or wired cameras by looking through the viewing port and scanning any room	163,50 \$
<b>Spy DVRs</b>			
SED-DVR-CARKEY2		Spy Car Key Camcorder, High Resolution 1280X960, 4GB Memory Build In	96,00 \$
SED-DVR-HELMET		Mini Helmet Bike Action Sport Spy Camcorder – Video + Audio CMOS 1.3 Megapixels, SD card support up to 32GB (not included), Unlimited recording time until SD card full, 640x480(VGA) 30FPS, Build in microphone,	116,80 \$






























Code de produit	Image	Description	Prix (\$CDN)
SED-DVR-POCKET		Pocket DVR Pro II, 3rd Generation, 3+ Hours Battery, Time & Stamp, 4GB Micro SD Card Included, Expandable to 16GB, Vivid Color Video & Audio	132,80 \$
SED-DVR-PEN409		Pen Type Hi-Resolution Hidden Camcorder (1280X960) new version – 4GB, audio/video recording in AVI format, Black color – Motion Detection Function	104,00 \$
SED-DVR-LIGHTER		Lighter Hidden Camera 4GB Build In Memory, Up to 3 Hours Recording on a single charge, High Resolution 1280x960, Record Video/Audio, 30FPS, High Capacity Lithium Polymer Battery, Support Vista and Mac	134,40 \$
SED-DVR-WATCH		Watch DVR Spy Camera 4GB Memory High Resolution 640x480, Up to 90 Minutes of video recording time or thousands of still photos, 30FPS, AVI file format, 2.0MP still pictures, Build in Battery	132,80 \$
SED-DVR-WATCH3		4GB Waterproof Spy Watch Hidden Recorder 1280 x 960	144,00 \$
SED-PVR-PIR-2GB		Hidden PIR Day/Night Spy Camera DVR High Resolution, 1/3" SONY CCD PIR, Infrared Night Vision, Spy motion sensor color camera w/LEDs & MPEG4 DVR w/Build in 2GB SD card, Support Up to 4GB	240,00 \$
SED-DVR-507A		Spy LCD Clock Video/Audio Recorder, Real Time Recording, 640x480, 4GB SD card included, 12 hours battery life, voice recorder, motion detection recording.	137,60 \$
SED-DVR-RADIO		Clock Radio Camera Hidden Camera Clock Radio & DVR, Full Functional Alarm Clock w/Time Projection Display & Build in Hidden DVR Camera	492,80 \$
SED-DVR-TISSUE		Tissue Box Covert DVR Camera	492,80 \$
<b>Micro SD Cards</b>			<b>demandez</b>
MEM-MICROSD-2GB		2GB Micro SD Card - Kingston	17,60 \$
MEM-MICROSD-4GB		4GB Micro SD Card - Kingston	24,00 \$
MEM-MICROSD-8GB		8GB Micro SD Card - Kingston	44,80 \$
MEM-MICROSD-16GB		16GB Micro SD Card - Kingston	84,80 \$
<b>IP Cameras &amp; IP Server</b>			
SED-CAM-IP105		AVTECH Indoor IP camera, MPEG4, 1/3.6" image sensor, 3.6mm Lens, Audio two way communication, build in microphone	240,00 \$
SED-IP-CAVN525		AVTECH Outdoor H.264 Network Camera / 520TVL / 56 IR LEDs / F1.4/ Day/Night / 40 Meters IR Distance / IP67 / High Resolution / Smart Light Control / Outdoor ID design with cable management / Free CMS software / Support 10 Users / 1/3" HR Color CCD / 0 Lux / 6.0mm lens	418,60 \$
SC350B		Outdoor Hitachi 35X Digital Zoom IP PTZ/SONY CCD/480TVL/0.001Lux/D1/30FPS/Audio/3.6-118mm AC24V	1 812,50 \$
SED-DVR-IP103		CPCAM CPN103 IP Server 2 Channel Video Remote Monitoring Video Web Server	144,00 \$
<b>IP Camera Surveon</b>			
SED-CAM-IP2200		Surveon Megapixel CMOS Network Camera Up to 1280x1024 Video Resolution, H.264, MPEG4 and MJPEG compression capability, Up to 2 Simultaneous Video Streams, Motion and tampering detection, MicroSD/SDHC local storage for alarm capture, POE	441,00 \$
SED-CAM-IP2400		Surveon Megapixel CCD Network Camera Day and Night Function with IR Cut Filter Up to 1280x960 Video Resolution, H.264, MPEG4 and MJPEG compression capability, Up to 2 Simultaneous Video Streams, Motion and tampering detection, MicroSD/SDHC local storage for alarm capture, POE	686,40 \$
<b>IP Camera - Hikvision</b>			
NV886MF-E		5.0 Megapixel Hi-Def IP Cam, Up to 2560x1920 Resolution, 1/2.5" Progressive scan CMOS, Color to 1Lux/F1.4, B&W to .2 Lux /F1.4, Auto B.L.C Function, DC-CS mount/extra, H.264, Dual Stream, HD2560P, D1(4CIF), DCIF, 2CIF, CIF, QCIF, 10fps@2560x1920, 15fps@2048x1536, 30fps@1920x1080, 30fps@1600x1200, 30fps@1280x720, 2 Megapixel 32K-16M Bit Rate, Audio Compression: G.711, Video & Audio, main and sub-stream type, SD recording, RJ45, DC12V/1.0A, e-PTZ	1 725,00 \$
DS-2CD852MF-E		2.0 Megapixel Hi-Def IP Cam, Up to 1600x1200, 1/3" Progressive scan CMOS, 0.1Lux@F1.2, Auto B.L.C Function, DC Drive Auto Iris, DC-CS mount Lens extra, H.264, Dual Stream, HD720P, D1(4CIF), DCIF, 2CIF, CIF, QCIF, 15fps@1600x1200, 30fps@1280x720, 30fps@704x480, 2 Megapixel 32K-16M Bit Rate, Audio Compression OggVorbis, SD Recording, RJ45, 24VAC/12VDC, e-PTZ, Motion Detection, PoE, NVR software, Support 64 IP cameras, Client Software	525,00 \$
DS-2CD752MF-FB		Hikvision 2.0 Mega Pixel Vandal Proof/Linux OS embedded/TI DaVinci hardware compression/H.264 dual stream video compression/HD720P (1600x1200) Video Preview/ SD card for local storage/IR cut filter auto switch/Motion detection and PC client notification/POE	588,00 \$
DS-2CD752MF-IFB		Hikvision 2.0 Mega Pixel Vandal Proof/60FT IR Range/Linux OS embedded/TI DaVinci hardware compression/H.264 dual stream video compression/HD720P (1600x1200) Video Preview/ SD card for local storage/IR cut filter auto switch/Motion detection and PC client notification/POE	702,00 \$
DS-2CD752MF-FB		2.0 Megapixel Hi-Def IP Cam, Vandal Proof & IP66, Up to 1600x1200 Resolution, 1/3" Progressive scan CMOS, 0.5Lux/F1.2, Auto B.L.C Function, 2.8-11mm Lens, H.264, Dual Stream, HD720P, D1(4CIF), DCIF, 2CIF, CIF, QCIF, 15fps@1600x1200, 30fps@1280x720, 30fps@704x480, 2 Megapixel 32K-16M Bit Rate, Audio Compression: G.711, Video & Audio, main and sub-stream type, SD recording, RJ45, DC12V/1.0A	709,80 \$
DS-2CD752MF-E		2.0 Megapixel Hi-Def IP Cam, Up to 1600x1200 Resolution, 1/3" Progressive scan CMOS, 0.5Lux/F1.2, Auto B.L.C Function, 3.3-12mm Lens F1.4, H.264, Dual Stream, HD720P, D1(4CIF), DCIF, 2CIF, CIF, QCIF, 15fps@1600x1200, 30fps@1280x720, 30fps@704x480, 2 Megapixel 32K-16M Bit Rate, Audio Compression: G.711, Video & Audio, main and sub-stream type, SD recording, RJ45, DC12V/1.0A	741,00 \$
DS-2CD862MF-E		1.3Megapixel, Up to 1280x960, 1/3" SONY CCD, 0.5Lux, Auto B.L.C Function, Video/DC Auto Iris, DC-CS mount Lens extra, Dual Stream, 1280x960, D1, DCIF, CIF, PAL 25fps, NTSC: 30fps up to 1280x960, 2Megapixel 32K-16M bit rate, Audio compression G.726, SD Recording, RJ45, Dual Power, NVR software, Support 64 IP cameras, Client Software, SD Card Recording	588,00 \$
DG752MF-W		2.0Megapixel WiFi, Up to 1600x1200, 1/3" Progressive scan CMOS, 1Lux, No B.L.C Function, No Auto Iris, 6mm fixed lens, changeable, H.264, Dual Stream, HD720P, D1(4CIF), DCIF, 2CIF, CIF, QCIF, 15fps@1600x1200, 30fps@1280x720, 30fps@704x480, 2megapixel 32K-2M bit rate, Audio Compression G.726, SD Recording, RJ45, DC12V/1200mA, NVR software, Support 64 IP cameras, Client Software	
DG852MF-IR-W		2.0Megapixel WiFi, IP66 Up to 1600x1200, 1/3" Progressive scan CMOS, 0Lux 10 Meters LED, Auto B.L.C Function, No Auto Iris, 6mm auto iris Lens H.264, Dual Stream, HD720P, D1(4CIF), DCIF, 2CIF, CIF, QCIF, 15fps@1600x1200, 30fps@1280x720, 30fps@704x480, 2megapixel 32K-2M bit rate, Audio Compression G.726, RJ45, DC12V/3.0A, NVR software, Support 64 IP cameras, Client Software	669,20 \$
DG852MF-W		2.0Megapixel WiFi, Up to 1600x1200, 1/3" Progressive scan CMOS, 1Lux, Auto B.L.C Function, DC Drive Auto Iris, DC-CS mount Lens extra, H.264, Dual Stream, HD720P, D1(4CIF), DCIF, 2CIF, CIF, QCIF, 15fps@1600x1200, 30fps@1280x720, 30fps@704x480, 2megapixel 32K-2M bit rate, Audio Compression G.726, SD Recording, RJ45, DC12V/1000mA, NVR software, Support 64 IP cameras, Client Software	483,00 \$
DG862MF-W		1.3Megapixel WiFi, Up to 1280x720, 1/3" SONY CCD, Color to .1Lux, B&W to 0.01Lux, Auto B.L.C Function, Video/DC Auto Iris, DC-CS mount Lens extra, Dual Stream, 1280x960, D1, DCIF, CIF, PAL 25fps, NTSC: 30fps up to 1280x960, 2Megapixel 32K-16M bit rate, Audio compression G.726, SD Recording, RJ45, DC12V/1200mA, NVR software, Support 64 IP cameras, Client Software	
DS-2CD892NF-W		1/3" SONY CCD, 540TV Line, Color to 1Lux, B&W to 0.4Lux, Auto B.L.C Function, Video/DC Auto Iris, DC-CS mount Lens extra, D1 (4CIF), DCIF, 2CIF, QCIF, PAL 25fps, NTSC: 30fps, 32kbps to 2mbps bit rate, Audio compression ADPCM, 16Kbps, SD Recording, RJ45, DC12V/1200mA, NVR software, Support 64 IP cameras, Client Software	420,00 \$































Code de produit	Image	Description	Prix (\$CDN)
SC350B		PTZ Camera, IP66, 1/3" SONY CCD, Day: >480TV Line, Night: >570TV Line, Hitachi 35x zoom camera module, Sony CCD, 0.001Lux/F1.0 (Day & Night), CDolor to 1Lux, B&W to 0.01Lux, On/Off Option B.L.C Function, 35X Optical/12X Digital Zoom, D1 (4CIF), DCIF, 2CIF, QCIF, PAL 25fps, NTSC: 30fps, 32kbps to 2Mbps bit rate, Audio compression OggVorbis Standard, 16Kbps, RJ45, RS485/232 AC24V/1500ma, NVR software, Support 64 IP cameras, Client Software	1 812,50 \$
<p><b>NVR Software:</b> NVR s/w that supports 64 IP cameras, all from Hikvision, or cameras from Sony, Acti, Dahua, Mobotix, Axis, Huvion, Arecontvision. NVR s/w also supports cctv camera (with a HikVision card). The NVR supports camera parameter setting, recording, playback, monitoring of all these cameras. Standard features as motion detect, schedule recording, sensor triggered recording, video+ audio, main stream and sub stream recording, ePTZ allows a lesser resolution window (720x480) to pan and zoom within a Hi-Def Mega Pixel IP camera window (1920x1080). Real PTZ function is available. Multiple resolution, from 1024 x768 4:3 to 1920x1080 16:9</p> <p><b>Client Software:</b> Remote client s/w and active-X plug in for Internet Explorer comes with these IP cameras. These remote can be used for monitoring, recording, paramter settings, ePTZ and PTZ. Multiple resolution, from 1024 x768 4:3 to 1920x1080 16:9.</p>			demandez
<b>IP Camera - ACTI</b>			
TCM-4201		H.264/M-JPEG/MPEG-4 MegaPixel Indoor IP Cube Camera supports up to 1.3MegaPixel resolution w/ two-way audio, Micron MegaPixel CMOS module, CS/C Mount, f4.2mm/F1.8 lens, Motion Sensor, DC12V, PoE, Power Adapter, ACTI NVR S/W	418,60 \$
TCM-5611		H.264/M-JPEG/MPEG-4 MegaPixel Day and Night IP Camera supports up to 1.3MegaPixel resolution w/ two-way audio, Micron MegaPixel CMOS module, CS/C Mount, f4.2mm/F1.8 lens, WDR, PoE, Power Adapter, ACTI NVR S/W (One fixed lens is included, see spec above)	655,20 \$
TCM-1231		H.264/M-JPEG/MPEG-4 MegaPixel Outdoor Day and Night IR IP Bullet Camera supports up to 1.3MegaPixel resolution, w/ two-way audio, Micron MegaPixel CMOS module, f3.3-12mm/F1.6 lens, WDR, PoE, Power Adapter, ACTI NVR S/W, IP-66	867,10 \$
TCM-3511		H.264/M-JPEG/MPEG-4 MegaPixel Indoor Day and Night IR IP 3" Dome Camera supports up to 1.3MegaPixel resolution, w/ two-way audio, Micron MegaPixel CMOS module, f3.3-12mm/F1.6 lens, WDR, PoE, Power Adapter, ACTI NVR S/W	778,70 \$
ACM-7411		M-JPEG/MPEG-4 MegaPixel Outdoor Day and Night IP Rugged Dome Camera, supports up to 1.3MegaPixel resolution, w/ two-way audio, Micron MegaPixel CMOS module, f3.3-12mm/F1.6 lens, 3-axis, PoE, Power Adapter, ACTI NVR S/W, Surface Mount (other mounting options available), Vandal Proof, IP-66	795,60 \$
<b>IP Camera - Vivotek</b>			
IP8151		Indoor Day & Night 1.3MP 1280x1024 IP cam, Triple (H.264/MPEG4/MJPEG) compression, 1/3" CMOS Sensor, Vari-focal 3-9mm Lens, 30fps@1280x1024, 2 way audio, Auto Iris, Wired, PoE, SD card slot, Tampering Detection, ePTZ, Video Cropping, C/CS Mount adjustment ring, Supreme Night Visibility	871,00 \$
IP8161		Indoor Day & Night 2.0MP 1600x1200 IP cam, Triple (H.264/MPEG4/MJPEG) compression, 1/3.2" CMOS Sensor, Vari-focal 4.5-10mm Lens, 30fps@800x600, 15fps@1600x1200, 2 way audio, Auto Iris, Wired, PoE, ONVIF, SD card slot, Tampering Detection, ePTZ, Video Cropping, C/CS Mount adjustment ring	769,60 \$
FD8134		Indoor Day & Night 1.0MP 1280x800 IP cam, Triple (H.264/MPEG4/MJPEG) compression, 1/4" CMOS Sensor, Fixed 3.6mm Lens, 30fps@1280x720, 30fps@1280x800, Wired, PoE, Micro SD Card Slot, Tamper Detection, IR Illumination up to 10m, 3 Axis Design	442,40 \$
FD8161		Indoor Day & Night 2.0MP 1600x1200 IP cam, Triple (H.264/MPEG4/MJPEG) compression, 1/3.2" CMOS Sensor, Vari-focal 3-9mm Lens, 30fps@800x600, 15fps@1600x1200, 2 way audio, Auto Iris, Wired, PoE, ONVIF, ePTZ, Video Cropping, PIR, IR Illumination up to 15m	656,50 \$
FD8361		Outdoor Day & Night 2.0MP 1600x1200 IP cam, Triple (H.264/MPEG4/MJPEG) compression, 1/3.2" CMOS Sensor, Vari-focal 3-9mm Lens, 30fps@800x600, 15fps@1600x1200, 2 way audio, Auto Iris, Wired, PoE, ONVIF, IP66, ePTZ, SD Card Slot, Video Cropping, PIR, IR Illumination up to 20m	920,40 \$
IP8332		Outdoor Day & Night 1.0MP 1280x800 IP cam, Triple (H.264/MPEG4/MJPEG) compression, 1/4" CMOS Sensor, Fixed 3.6mm Lens, 30fps@1280x720, 30fps@1280x800, Wired, PoE, IP66, Micro SD Card Slot, Tamper Detection, IR Illumination up to 15m	506,80 \$
SD8111		Indoor Day & Night 720x480 IP cam, Triple (H.264/MPEG4/MJPEG) compression, 1/4" Sony ExView HAD CCD, Vari-Focal 3.6-45.8mm 12x Optical Zoom Lens, 30fps@720x480, 2 way audio, Auto Iris, Wired, SD card slot, 3D Noise Reduction, 360 degree pan, -10 to 190 degree tilt	1 101,10 \$
<b>WDR 3D DNR Camera 600TV Line - Hero Premium Chipset (Made in Korea, 3 Year Warranty, 1 Year Warranty IR LEDs)</b>			
SED-CAM-SVD632		<b>Color Dome Camera (600TVL, WDR, D&amp;N, OSD, 3DDNR, Sens-Up)</b> 1/3" SONY Super HAD II CCD, 600TVL, 0.15Lux at F1.2(Color) / 0.0003Lux(Sens-up x256), D&N, OSD, Mirror (V-Flip/Rotate) , Privacy On/Off, Motion Detection, AGC (On/Off), BLC (Low/Middle/High/Off), AWB, 3DDNR (Low/Middle/High/Off), Sens-Up (x2-x256), Flickerless, WDR, DIS, LSC(Lens Shading Compensation), Digital Zoom (x10), Freeze(On/Off), Defect Compensation(manual & Auto), HLM(High Light Mask), Service Extra Video-out, 85mm, New 3 Axis, Hero Chip, DC12V, 3.6mm Fixed Lens	148,80 \$
SED-CAM-SVD754		<b>Color Dome Camera (600TVL, WDR, D&amp;N, OSD, 3DDNR, Sens-Up)</b> 1/3" SONY Super HAD II CCD, 600TVL, 0.15Lux at F1.2(Color) / 0.0003Lux(Sens-up x256), D&N, OSD, Mirror (V-Flip/Rotate) , Privacy On/Off, Motion Detection, AGC (On/Off), BLC (Low/Middle/High/Off), AWB, 3DDNR (Low/Middle/High/Off), Sens-Up (x2-x256), Flickerless, WDR, DIS, LSC(Lens Shading Compensation), Digital Zoom (x10), Freeze(On/Off), Defect Compensation(manual & Auto), HLM(High Light Mask), Service Extra Video-out, 100mm, New 3 Axis, Hero Chip, DC12V, 2.8-12mm Auto Varifocal Lens	211,50 \$
SED-CAM-SVD652IR		<b>Color Dome IR Camera (600TVL, WDR, D&amp;N, OSD, 3DDNR, Sens-Up)</b> 1/3" SONY Super HAD II CCD, 600TVL, 0Lux at IR On, D&N, OSD, Mirror (V-Flip/Rotate) , Privacy On/Off, Motion Detection, AGC (On/Off), BLC (Low/Middle/High/Off), AWB, 3DDNR (Low/Middle/High/Off), Sens-Up (x2-x256), Flickerless, WDR, DIS, LSC(Lens Shading Compensation), Digital Zoom (x10), Freeze(On/Off), Defect Compensation(manual & Auto), HLM(High Light Mask), Service Extra Video-out, 85mm, New 3 Axis, Hero Chip, DC12V, 4.3mm Fixed Lens, 20pcs IR LEDs	175,50 \$
SED-CAM-SVD834		<b>Vandal Proof Color Dome (600TVL, WDR, D&amp;N, OSD, 3DDNR, Sens-Up)</b> 1/3" SONY Super HAD II CCD, 600TVL, 0.15Lux at F1.2(Color) / 0.0003Lux(Sens-up x256), D&N, OSD, Mirror (V-Flip/Rotate) , Privacy On/Off, Motion Detection, AGC (On/Off), BLC (Low/Middle/High/Off), AWB, 3DDNR (Low/Middle/High/Off), Sens-Up (x2-x256), Flickerless, WDR, DIS, LSC(Lens Shading Compensation), Digital Zoom (x10), Freeze(On/Off), Defect Compensation(manual & Auto), HLM(High Light Mask), Service Extra Video-out, 100mm, New 3 Axis, Hero Chip, Dual Power, Filter Change 2.8-12mm AVF Lens, IP68	280,50 \$
SED-CAM-SVD699		<b>Vandal Proof IR Color Dome (600TVL, WDR, D&amp;N, OSD, 3DDNR, Sens-Up)</b> 1/3" SONY Super HAD II CCD, 600TVL, 0Lux at IR On (Sens-up x256), D&N, OSD, Mirror (V-Flip/Rotate) , Privacy On/Off, Motion Detection, AGC (On/Off), BLC (Low/Middle/High/Off), AWB, 3DDNR (Low/Middle/High/Off), Sens-Up (x2-x256), Flickerless, WDR, DIS, LSC(Lens Shading Compensation), Digital Zoom (x10), Freeze(On/Off), Defect Compensation(manual & Auto), HLM(High Light Mask), Service Extra Video-out, 100mm, New 3 Axis, Hero Chip, Dual Power, Filter Change 2.8-12mm AVF Lens, 35pcs IR LEDs, IP68	305,20 \$
SED-CAM-SVD365		<b>124mm IR Bullet Camera (600TVL, WDR, D&amp;N, OSD, 3DDNR, Sens-Up)</b> 1/3" SONY Super HAD II CCD, 600TVL, 0Lux at IR On (Sens-up x256), D&N, OSD, Mirror (V-Flip/Rotate) , Privacy On/Off, Motion Detection, AGC (On/Off), BLC (Low/Middle/High/Off), AWB, 3DDNR (Low/Middle/High/Off), Sens-Up (x2-x256), Flickerless, WDR, DIS, LSC(Lens Shading Compensation), Digital Zoom (x10), Freeze(On/Off), Defect Compensation(manual & Auto), HLM(High Light Mask), Service Extra Video-out, Hero Chip, Dual Power, Filter Change 2.8-12mm AVF Lens, External Control, Cable through bracket, Round 65pcs IR LEDs, IP68	418,60 \$
<b>WDR 3D DNR Camera 600TV Line - WDXV7 Chipset (Made in Korea, 2 Year Warranty)</b>			
SED-CAM-W6000D		Super Wide Dynamic Range/3D DNR Camera/SONY 1/3" Super HAD II CCD/Zero Defect/High Resolution 600TVL/0.0002Lux/Day & Night/Sense Up (x512, DSS)/Digital Image Stabilization/Polygonal Privacy masking/Digital Zoom (x1-x10)/Eclipse/OSD Control/Dual Power DC12/AC24V	231,00 \$
SED-CAM-WDR30VA		3 Axis Vandal Proof Waterproof Dome/IP66/Super Wide Dynamic Range/3D DNR Camera/SONY 1/3" Super HAD II CCD/Zero Defect/High Resolution 600TVL/0.0002Lux/2.8-12mm DC Auto Iris Lens/Day & Night/Sense Up (x512, DSS)/Digital Image Stabilization/Polygonal Privacy masking/Digital Zoom (x1-x10)/Eclipse/OSD Control/Dual Power DC12/AC24V	298,50 \$
SED-CAM-WDR10VA		3 Axis Vandal Proof Waterproof Dome/IP66/Super Wide Dynamic Range/3D DNR Camera/SONY 1/3" Super HAD II CCD/Zero Defect/High Resolution 600TVL/0.0002Lux/2.8-12mm DC Auto Iris Lens/30 Units IR LEDs/ 35 Meters IR Distance/Day & Night/Sense Up (x512, DSS)/Digital Image Stabilization/Polygonal Privacy masking/Digital Zoom (x1-x10)/Eclipse/OSD Control/Dual Power DC12/AC24V	301,00 \$





















Code de produit	Image	Description	Prix (\$CDN)
SED-CAM-WDRW66		Outdoor Bullet Camera/IP66/Super Wide Dynamic Range/3D DNR Camera/SONY 1/3" Super HAD II CCD/Zero Defect/High Resolution 600TVL/0.0002Lux/2.8-12mm DC Auto Iris Lens/68 Units IR LEDs/ 40 Meters IR Distance/Day & Night/Sense Up (x512, DSS)/Digital Image Stabilization/Polygonal Privacy masking/Digital Zoom (x1-x10)/Eclipse/OSD Control/Dual Power DC12/AC24V	355,60 \$
SED-CAM-WDRA65		Outdoor Bullet Camera/IP66/Super Wide Dynamic Range/3D DNR Camera/SONY 1/3" Super HAD II CCD/Zero Defect/High Resolution 600TVL/0.0002Lux/5-50mm DC Auto Iris Lens/40 Units IR LEDs/ 45 Meters IR Distance/Day & Night/Sense Up (x512, DSS)/Digital Image Stabilization/Polygonal Privacy masking/Digital Zoom (x1-x10)/Eclipse/OSD Control/Dual Power DC12/AC24V	478,80 \$
SED-CAM-WDRW650		Outdoor Long Range Bullet Camera/IP66/Super Wide Dynamic Range/ True Day/Night/3D DNR Camera/SONY 1/3" Super HAD II CCD/Zero Defect/High Resolution 600TVL/0.0002Lux/5-50mm DC Auto Iris Lens/40 Units IR LEDs + SRLED: 20+20 Units/120 Meters IR Distance/Day & Night/Sense Up (x512, DSS)/Digital Image Stabilization/Polygonal Privacy masking/Digital Zoom/Eclipse/OSD Control/Dual Power DC12/AC24V	661,70 \$
<b>530TV Line High Resolution Camera - Next Chip (Made in Korea, 3 Year Warranty, 1 Year Warranty IR LEDs)</b>			
SED-CAM-BOX64		Box Camera (530TVL, D&N, OSD) 1/3" SONY Super HAD II CCD, 530TVL, 0.1Lux at F1.2(Color) / 0.01Lux(B/W) , D&N, OSD, Mirror On/Off, Privacy On/Off, Motion Detection, AGC On/Off, BLC On/Off, AWB, Dual Power, Next Chip	162,00 \$
SED-CAM-SVD562		Color Dome Camera (530TVL, D&N, OSD) 1/3" SONY Super HAD II CCD, 530TVL, 0.1Lux at F1.2(Color) / 0.01Lux(B/W) , D&N, OSD, Mirror On/Off, Privacy On/Off, Motion Detection, AGC On/Off, BLC On/Off, AWB, Service Extra Video-out, Next Chip, DC 12V, 3.6mm, 85mm, New 3 Axis	132,80 \$
SED-CAM-SVB56		55mm Weather Proof IR Bullet Camera (530TVL, D&N) 1/3" SONY Super HAD II CCD, 530TVL, 0Lux at IR LED ON, D&N, AWB, Weatherproof, Next Chip, DC 12V, 3.6mm (Cable through bracket), 24pcs IR LEDs	172,50 \$
SED-CAM-SVD554		Vandal Proof Dome Camera (530TVL, D&N, OSD) 1/3" SONY Super HAD II CCD, 530TVL, 0.3Lux at F1.2(Color) / 0.03Lux(B/W), D&N, OSD, Mirror On/Off, Privacy (On/Off), Motion Detection, AGC On/Off, BLC On/Off, AWB, Service Extra Video-out, Next Chip, Dual Power, 2.8-12mm AVF Lens, Vandal proof, IP68, Water proof, New 3-Axis	229,50 \$
SED-CAM-SVD354		Vandal Proof IR Dome Camera (530TVL, D&N) 1/3" SONY Super HAD II CCD, 530TVL, 0Lux at IR LED ON, D&N, Mirror On/Off, Privacy (On/Off), Motion Detection, AGC On/Off, BLC On/Off, AWB, Service Extra Video-out, OSD, Next Chip, Dual Power, 2.8-12mm AVF Lens, 35pcs IR LEDs, Vandal proof, IP68 Water proof, New 3-Axis, No reflection for Fixed Lens	247,50 \$
SED-BK-WM		Heavy Duty Wall Mount Bracket for Vandal Proof Dome Camera, SVD554, SVD354	80,00 \$
SED-CAM-SVSP62		Covert Camera (530TVL, D&N) 1/3" SONY Super HAD II CCD, 420TVL, 0.1Lux at F1.2(Color) / 0.01Lux(B/W), D&N, AWB, Next Chip, DC 12V, 3.7mm Conical Pinhole Lens	148,80 \$
SED-CAM-MC50		Miniature Camera (530TVL, D&N) 1/3" SONY Super HAD II CCD, 530TVL, 0.1Lux at F1.2(Color) / 0.01Lux(B/W), D&N, AWB, Next Chip, DC 12V, 3.7mm Conical Pinhole Lens	159,00 \$
<b>Hidden Camera</b>			
SED-CAM-NCL20S		Sprinkler Spy Camera, 1/4" Sony Color CCD, 420TVL, 0.8Lux, 3.7mm lens, DC12V	97,60 \$
SED-CAM-SVSP109		Motion Detector Type Spy Camera, 1/4" SONY color CCD, 420TVL, 3.7mm lens, DC12V, Audio, with Alarm Function	140,80 \$
SED-CAM-SVSP108		Smoke Detector Type Spy Camera, 1/4" SONY color CCD, 420TVL, 3.7mm lens, DC12V, Audio, with Alarm Function	147,20 \$
SED-CAM-SVSP940		1/3" Sony Wall Clock Camera, 520TVL, 3.7mm Lens, Black	165,00 \$
SED-CAM-SVSP919		Galaxy - Smoke detector type/1/3" Sony CCD color/520TVL/0.1Lux/3.6mm lens/DC12V	150,40 \$
SED-CAM-SV850IR		Galaxy Motion Detector Type Spy Camera, Day/Night, 1/4" Sony Color CCD/420TVL/0Lux/4.2mm lens, DC12V, 18 IR LEDs/18 Meters IR Distance	84,80 \$
SED-CAM-SVSP62		Galaxy - Hidden PIR Camera 1/3" Sony Super HAD II CCD, Day/Night Function, 530TVL, 0.1Lux (Color), 0.01Lux (BW), 3.7mm Pinhole Lens, DC12V, Made in Korea, 3 Year Warranty	148,80 \$
<b>Mini Camera</b>			
SED-CAM-MC20A		Galaxy - Miniature pinhole Camera 1/4" Sony color CCD/Audio/1.0Lux/420TVL enhanced/3.6mm lens/DC12V	67,20 \$
SED-CAM-MC50		Galaxy - Miniature Pinhole Camera 1/3" Sony Super HAD II CCD, Day/Night Function, 530TVL, 0.1Lux (Color), 0.01Lux (BW), 3.7mm Conical Pinhole Lens, DC12V, Made in Korea, 3 Year Warranty	159,00 \$
SED-CAM-YC26S		Galaxy - Weatherproof 1/4" Sony color CCD/420TVL/0.1Lux/3.6mm lens/DC12V/black/bracket included/With Sunshield Cover	78,40 \$
SED-CAM-YC26SP		Galaxy - Weatherproof 1/4" Sony color CCD/Pinhole /420TVL/0.1Lux/3.6mm lens/DC12V/black/bracket included/With Sunshield Cover	81,60 \$
SED-CAM-YC26SIR		Weatherproof 1/4" Sharp color CCD/420TVL/10 IR LEDES/10 meters IR distance/0Lux IR on/3.6mm lens/DC12V/black/bracket included	105,60 \$
<b>Indoor Dome Camera</b>			
SED-CAM-SVD252		Galaxy - Dome Camera, 1/3" Sony Super HAD II CCD, Day/Night Function, 420TVL, 0.1Lux (Color), 0.01Lux (BW), 3.6mm Lens, DC12V, 3 Axis, Made in Korea, 3 Year Warranty	76,80 \$
SED-CAM-SVD562		Galaxy - Dome Camera, 1/3" Sony Super HAD II CCD, Day/Night Function, 530TVL, 0.1Lux (Color), 0.01Lux (BW), 3.6mm Lens, DC12V, 3 Axis, Made in Korea, 3 Year Warranty	132,80 \$
SED-CAM-SVD132C		1/3" High Res Color CCD, High resolution, 500TVL, 0.6Lux, 3.6mm Lens, DC12V	78,40 \$

Code de produit	Image	Description	Prix (\$CDN)
SED-CAM-SVD296		1/2" SONY Color CCD/420TVL/0Lux/3.6mm Lens/15 Meters IR Distance/26pcs LED/Plastic Gimbals/Black Color	60,80 \$
SED-CAM-SVD133E		1/3" SONY CCD/500TVL High Resolution/Day/Night/0Lux/21 Black IR LED/15 Meters IR Distance/3.6mm Lens/DC12V	104,00 \$
SED-CAM-SVD615H		1/3" Sony Color CCD/420TVL/3.6mm lens/6 inch dome/Mirror Housing	89,60 \$
SED-CAM-SVD615W		1/3" Sony Color CCD/540TVL/3.6mm lens/6 inch dome/Mirror Housing	140,80 \$
SED-CAM-ADN80A		1/3" SONY SuperHAD/480TVL/0.01Lux/OSD Build In/3.6mm Lens/DC 12V 200mA, Made in Korea, 2 Year Warranty Dimension: 110mm(L) x 68mm (H)	102,40 \$
SED-CAM-ADH80AH		1/3" SONY SuperHAD/580TVL/0.01Lux/OSD Build In/3.6mm Lens/DC 12V 200mA, Made in Korea, 2 Year Warranty Dimension: 110mm(L) x 68mm (H)	140,80 \$
SED-CAM-SVD562		Color Dome Camera (530TVL, D&N, OSD) 1/3" SONY Super HAD II CCD, 530TVL, 0.1Lux at F1.2(Color) / 0.01Lux(B/W) , D&N, OSD, Mirror On/Off, Privacy On/Off, Motion Detection, AGC On/Off, BLC On/Off, AWB, Service Extra Video-out, Next Chip, DC 12V, 3.6mm, 85mm, New 3 Axis	132,80 \$
SED-CAM-SVD632		<b>Color Dome Camera (600TVL,WDR, D&amp;N, OSD, 3DDNR, Sens-Up)</b> 1/3" SONY Super HAD II CCD, 600TVL, 0.15Lux at F1.2(Color) / 0.0003Lux(Sens-up x256), D&N, OSD, Mirror (V-Flip/Rotate) , Privacy On/Off, Motion Detection, AGC (On/Off), BLC (Low/Middle/High/Off), AWB, 3DDNR (Low/Middle/High/Off), Sens-Up (x2-x256), Flickerless, <b>WDR</b> , DIS, LSC(Lens Shading Compensation), Digital Zoom (x10), Freeze(On/Off), Defect Compensation(manual & Auto), HLM(High Light Mask), Service Extra Video-out, 85mm, New 3 Axis, Hero Chip, DC12V, <b>3.6mm</b> Fixed Lens	148,80 \$
SED-CAM-SVD754		<b>Color Dome Camera (600TVL,WDR, D&amp;N, OSD, 3DDNR, Sens-Up)</b> 1/3" SONY Super HAD II CCD, 600TVL, 0.15Lux at F1.2(Color) / 0.0003Lux(Sens-up x256), D&N, OSD, Mirror (V-Flip/Rotate) , Privacy On/Off, Motion Detection, AGC (On/Off), BLC (Low/Middle/High/Off), AWB, 3DDNR (Low/Middle/High/Off), Sens-Up (x2-x256), Flickerless, <b>WDR</b> , DIS, LSC(Lens Shading Compensation), Digital Zoom (x10), Freeze(On/Off), Defect Compensation(manual & Auto), HLM(High Light Mask), Service Extra Video-out, 100mm, New 3 Axis, Hero Chip, DC12V, <b>2.8-12mm</b> Auto Varifocal Lens	211,50 \$
SED-CAM-SVD652IR		<b>Color Dome IR Camera (600TVL,WDR, D&amp;N, OSD, 3DDNR, Sens-Up)</b> 1/3" SONY Super HAD II CCD, 600TVL, 0Lux at IR On, D&N, OSD, Mirror (V-Flip/Rotate) , Privacy On/Off, Motion Detection, AGC (On/Off), BLC (Low/Middle/High/Off), AWB, 3DDNR (Low/Middle/High/Off), Sens-Up (x2-x256), Flickerless, <b>WDR</b> , DIS, LSC(Lens Shading Compensation), Digital Zoom (x10), Freeze(On/Off), Defect Compensation(manual & Auto), HLM(High Light Mask), Service Extra Video-out, 85mm, New 3 Axis, Hero Chip, DC12V, 4.3mm Fixed Lens, 20pcs IR LEDs	175,50 \$
SED-CAM-N30VPQ		Indoor Dome/1/3" SONY SuperHAD Sensor/580TVL Super High Resolution/0.01Lux/OSD Build In/2.8-12mm Auto Iris IR Lens/DC12V 300mA, Made in Korea, 2 Year Warranty	217,50 \$
SED-CAM-SVD930W		Vandal Proof Dome/ 1/3" Sony color CCD/540TVL/1.0Lux//3.5-8mm manual iris Varifocal lens/ DC12V	152,00 \$
<b>Outdoor Dome Camera</b>			
SED-CAM-SV603DB		Galaxy - Vandal Proof Water Proof Dome/1/4" SONY Color CCD/20 meters IR Distance/420TVL/0lux/3.6mm lens/DC12V Easy to adjust viewing angel	78,40 \$
SED-CAM-SVD950H		Galaxy - Vandal Proof Water Proof Dome/1/4" SONY Color CCD/20 meters IR Distance/540TVL/0lux/3.6mm lens/DC12V Easy to adjust viewing angel	134,40 \$
SED-CAM-SVD955H		Galaxy Vandal Proof Dome/ 1/3" Sony High Resolution 540TVL/30 IR LEDs/0Lux/4-9mm lens/DC12V Lens adjustable from outside Color: Black or White	165,00 \$
SED-CAM-SVD931Q		1/3" SONY Super HAD CCD, DSP, high resolution, 560TVL, 3.5-8mm Manual vari-focal lens, wide view of angle, 1,000,000 pixel, mini IR lens, Exquisite design, aluminum structure, build-in 360 degree bracket	175,50 \$
SED-CAM-SVD751		True Day/Night Vandal Resistant IR Dome Camera, 1/3" SONY CCD, 540TVL Hi Res , 0.0001Lux IR LED on, 24 Meters IR Distance, 24 Units Infrared LED, 2.8 - 12mm DC Auto Iris Lens, Rainproof IP-65, DC12V	240,00 \$
SED-BK-B12		Curved Dome Camera Bracket for SVD751	49,60 \$
SED-CAM-SVD554		Vandal Proof Dome Camera (530TVL, D&N, OSD) 1/3" SONY Super HAD II CCD, 530TVL, 0.3Lux at F1.2(Color) / 0.03Lux(B/W), D&N, OSD, Mirror On/Off, Privacy (On/Off), Motion Detection, AGC On/Off, BLC On/Off, AWB, Service Extra Video-out, Next Chip, Dual Power, 2.8-12mm AVF Lens, Vandal proof, IP68, Water proof, New 3-Axis	229,50 \$
SED-CAM-SVD354		Vandal Proof IR Dome Camera (530TVL, D&N) 1/3" SONY Super HAD II CCD, 530TVL, 0Lux at IR LED ON, D&N, Mirror On/Off, Privacy (On/Off), Motion Detection, AGC On/Off, BLC On/Off, AWB, Service Extra Video-out, OSD, Next Chip, Dual Power, 2.8-12mm AVF Lens, 35pcs IR LEDs, Vandal proof, IP68 Water proof, New 3-Axis, No reflection for Fixed Lens	247,50 \$
SED-CAM-SVD834		<b>Vandal Proof Color Dome (600TVL,WDR, D&amp;N, OSD, 3DDNR, Sens-Up)</b> 1/3" SONY Super HAD II CCD, 600TVL, 0.15Lux at F1.2(Color) / 0.0003Lux(Sens-up x256), D&N, OSD, Mirror (V-Flip/Rotate) , Privacy On/Off, Motion Detection, AGC (On/Off), BLC (Low/Middle/High/Off), AWB, 3DDNR (Low/Middle/High/Off), Sens-Up (x2-x256), Flickerless, <b>WDR</b> , DIS, LSC(Lens Shading Compensation), Digital Zoom (x10), Freeze(On/Off), Defect Compensation(manual & Auto), HLM(High Light Mask), Service Extra Video-out, 100mm, New 3 Axis, Hero Chip, Dual Power, Filter Change 2.8-12mm AVF Lens, IP68	280,50 \$
SED-CAM-SVD699		<b>Vandal Proof IR Color Dome (600TVL,WDR, D&amp;N, OSD, 3DDNR, Sens-Up)</b> 1/3" SONY Super HAD II CCD, 600TVL, 0Lux at IR On (Sens-up x256), D&N, OSD, Mirror (V-Flip/Rotate) , Privacy On/Off, Motion Detection, AGC (On/Off), BLC (Low/Middle/High/Off), AWB, 3DDNR (Low/Middle/High/Off), Sens-Up (x2-x256), Flickerless, <b>WDR</b> , DIS, LSC(Lens Shading Compensation), Digital Zoom (x10), Freeze(On/Off), Defect Compensation(manual & Auto), HLM(High Light Mask), Service Extra Video-out, 100mm, New 3 Axis, Hero Chip, Dual Power, Filter Change 2.8-12mm AVF Lens, 35pcs IR LEDs. IP68	305,20 \$
SED-BK-WM		Heavy Duty Wall Mount Bracket for Vandal Proof Dome Camera, SVD554, SVD354, SVD834, SVD699	80,00 \$
SED-BK-CMBT01		Ceiling Mount Bracket for Vandal Proof IR Dome Camera, Ivory, Easy Installation, Comptible with Worwoo & CNB Dome Camera, Made In Korea, Compatible with SVD554, SVD354, SVD834, SVD699	89,60 \$
































Code de produit	Image	Description	Prix (\$CDN)
SED-CAM-WDR30VA		3 Axis Vandal Proof Waterproof Dome/IP66/Super Wide Dynamic Range/3D DNR Camera/SONY 1/3" Super HAD II CCD/Zero Defect/High Resolution 600TVL/0.0002Lux/2.8-12mm DC Auto Iris Lens/Day & Night/Sense Up (x512, DSS)/Digital Image Stabilization/Polygonal Privacy masking/Digital Zoom (x1-x10)/Eclipse/OSD Control/Dual Power DC12V/AC24V	298,50 \$
SED-CAM-WDR10VA		3 Axis Vandal Proof Waterproof Dome/IP66/Super Wide Dynamic Range/3D DNR Camera/SONY 1/3" Super HAD II CCD/Zero Defect/High Resolution 600TVL/0.0002Lux/2.8-12mm DC Auto Iris Lens/30 Units IR LEDs/ 35 Meters IR Distance/Day & Night/Sense Up (x512, DSS)/Digital Image Stabilization/Polygonal Privacy masking/Digital Zoom (x1-x10)/Eclipse/OSD Control/Dual Power DC12V/AC24V	301,00 \$
<b>Outdoor Bullet Camera</b>			
SED-CAM-SV201BL		Galaxy - Water Proof 1/4" Sharp Color CCD/420TVL/0Lux/30pcs LEDs/30 Meters IR Distance/3.6mm Lens/DC12V /Black/Bracket Included/62(D)x112(L)	68,80 \$
SED-CAM-L322420		Weatherproof 1/4" SONY CCD/420TVL/0Lux/40 meters IR distance/25 blue IR LEDs/3.6mm lens/DC12V/bracket in	108,80 \$
SED-CAM-SVB138		1/3" SONY CCD/500TVL High Resolution/Day/Night/0Lux/21 Black IR LED/15 Meters IR Distance/3.6mm Lens/DC12V/IP66	116,80 \$
SED-CAM-SVB56		Galaxy - IR Bullet Camera, True Weatherproof, 1/3" Sony Super HAD II CCD, Day/Night Function, 530TVL, 0Lux IR On, 24pcs IR LEDs, 60Feet IR Distance, OSD Menu, 3.6mm Lens, DC12V	172,50 \$
SED-CAM-SVB45W		Waterproof Infrared, 1/3" Sony CCD, 540TVL Hi Res, 3.5-8mm Varifocal Lens, 30pcs IR LEDs, 30 Meters IR Distance, 0Lux, Lens can be adjusted outside, DC12, bracket Included	153,00 \$
SED-CAM-YC29HB		Outdoor Weatherproof Long Distance Bullet Camera with Heater & Blower Build in, 1/4" SONY Color CCD, 420TVL, 0Lux, 75pcs IR LEDs, 40 meters IR distance, 6-15mm Manual Iris Lens, Support -20 Degree, DC12V, , Easy Lens Adjustable from Outside. Bracket is not included.	199,50 \$
SED-CAM-SVB728		Weatherproof IR Camera, Anti-cutting design, 1/3" SONY CCD, 540TVL, 0Lux IR On, 4-9mm Varifocal Lens (can be adjust from the back), 48 Meters IR Distance with 48pcs Blue LEDs, IP55, DC12V	202,50 \$
SED-CAM-SVB61Q		Waterproof Outdoor Day/Night Bullet Camera, 560TVL, 0Lux, DSP, 50 Meters IR Distance, 9-22mm varifocal lens, lens can be adjusted from back panel without screw, all in one bracket and hidden cable	216,00 \$
SED-CAM-SVB63HB		Outdoor Weatherproof Long Distance Bullet Camera with Heater & Blower Build in, 1/3" SONY Color CCD, True Day & Night, Build in IR Cut 540TVL, 0Lux, 75pcs IR LEDs, 40 meters IR distance, 6-15mm Manual Iris Lens, Support -20 Degree, DC12V/AC24V, Silver Heavy Duty Bracket Included, Easy Lens Adjustable from Outside	305,20 \$
SED-CAM-NW40A		Outdoor Bullet Camera/IP66/1/3" SONY SuperHAD CCD/High Resolution 580TVL/0.01Lux/2.8-12mm DC Auto Iris Lens/40 Units IR LEDs/35 Meters IR Distance/Day & Night/ OSD Control/Dual Power DC12/AC24V, Made in Korea, 2 Year Warranty	298,50 \$
SED-CAM-WDRW66		Outdoor Bullet Camera/IP66/Super Wide Dynamic Range/3D DNR Camera/SONY 1/3" Super HAD II CCD/Zero Defect/High Resolution 600TVL/0.0002Lux/2.8-12mm DC Auto Iris Lens/68 Units IR LEDs/ 40 Meters IR Distance/Day & Night/Sense Up (x512, DSS)/Digital Image Stabilization/Polygonal Privacy masking/Digital Zoom (x1-x10)/Eclipse/OSD Control/Dual Power DC12/AC24V	355,60 \$
SED-CAM-WDRA65		Outdoor Bullet Camera/IP66/Super Wide Dynamic Range/3D DNR Camera/SONY 1/3" Super HAD II CCD/Zero Defect/High Resolution 600TVL/0.0002Lux/5-50mm DC Auto Iris Lens/40 Units IR LEDs/ 45 Meters IR Distance/Day & Night/Sense Up (x512, DSS)/Digital Image Stabilization/Polygonal Privacy masking/Digital Zoom (x1-x10)/Eclipse/OSD Control/Dual Power DC12/AC24V	478,80 \$
SED-CAM-WDRW650		Outdoor Long Range Bullet Camera/IP66/Super Wide Dynamic Range/ True Day/Night/3D DNR Camera/SONY 1/3" Super HAD II CCD/Zero Defect/High Resolution 600TVL/0.0002Lux/5-50mm DC Auto Iris Lens/40 Units IR LEDs + SRLED: 20+20 Units/120 Meters IR Distance/Day & Night/Sense Up (x512, DSS)/Digital Image Stabilization/Polygonal Privacy masking/Digital Zoom/Eclipse/OSD Control/Dual Power DC12/AC24V	661,70 \$
SED-CAM-SVD365		<b>124mm IR Bullet Camera</b> (600TVL,WDR, D&N, OSD, 3DDNR, Sens-Up) 1/3" SONY Super HAD II CCD, 600TVL, 0Lux at IR On (Sens-up x256), D&N, OSD, Mirror (V-Flip/Rotate) , Privacy On/Off, Motion Detection, AGC (On/Off), BLC (Low/Middle/High/Off), AWB, 3DDNR (Low/Middle/High/Off), Sens-Up (x2-x256), Flickerless, WDR, DIS, LSC(Lens Shading Compensation), Digital Zoom (x10), Freeze(On/Off), Defect Compensation(manual & Auto), HLM(High Light Mask), Service Extra Video-out, Hero Chip, Dual Power, Filter Change 2.8-12mm AVF Lens, External Control, Cable through bracket, Round 65pcs IR LEDs, IP68	418,60 \$
<b>Zoom / PTZ Camera</b>			
SED-CAM-SVZ288		All-in-One 27x Zoom Camera, Power Off remember settings, Build in Menu, RS485 Control, 1/4" SONY Color CCD, 480TVL, 27x Optical Zoom, 3.9-97.2mm, 0Lux, Pelco D & P Support, DC12V	189,00 \$
SED-CAM-PTZ7407		Mini PTZ Speed Dome, 1/4" SONY CCD, 0.5Lux, 480TVL, Fast 360° Pan, 10X optical, 10X digital, pan/tilt, auto flip, OSD, 128 presets, Indoor/outdoor, Wall mount, IP66,Vandal proof	593,60 \$
SED-CAM-PTZ902		Indoor/Outdoor 10x Mini Speed Dome, 1/4" SONY CCD, 500TVL, 0.7Lux, Day/Night (ICR), with Wall Mount Bracket Ceiling Mount (Optional)	682,50 \$
SED-BK-PTZ902CM		Ceiling Mount Bracket for PTZ902 Mini Speed Dome, Bracket Only	30,40 \$
SED-CAM-PTZAT10		Mini Tracking PTZ Indoor Camera with Smoked Cover, Samsung 10X Optical Zoom, 1/4" SONY CCD, 570TVL, 0.02Lux, Day/Night, DC12V	778,70 \$
SED-BK-PTZ-MINI		Wall Mount Bracket for PTZ 10X	72,00 \$
SED-CAM-PTZ608		6" Outdoor High Speed Dome Camera, 128 Preset, with 27x Optical, 12x Digital Zoom, 550TVL Samsung Zoom Camera, Build in Fan and Heater, 24V AC, with Wall Mount Bracket	778,70 \$
SED-BK-PTZ608		CORNER MOUNT FOR PTZ608	62,40 \$
SED-CAM-PTZ26X		High Speed Dome, 26x Zoom, 1/4" SONY CCD/480TVL/0.01Lux/Day/Night/Build in heater & blower/AC 24V	1 055,60 \$
SED-CAM-PTZ7651		6" PTZ, build in original Sony Color Camera: EX1010C/CP, 530 TVL, Day & Night, Color 0.7 Lux, B/W 0.02 Lux, 36X Optical, 12X Digital, Fast 360° Pan, WDR, OSD function, 128 Presets, with Wall Mount Bracket and 24V AC Power Supply, Vandal Proof, Out Door with Heater & Blower, IP66	1 260,00 \$
SED-CAM-PTZAT36		Auto Tracking PTZ High Speed Dome, 36x Zoom, follow an object up to 360 degrees. 1/4" SONY CCD/540TVL/0.01 Lux/Day&Night/WDR/Build in heater & blower/AC 24V	1 512,50 \$
























Code de produit	Image	Description	Prix (\$CDN)
SED-CAM-PTZ7653		6" PTZ, built-in original SONY color camera, EX1010c/cp, 530TVL, day & night, color 0.7 lux, B/W 0.02 lux, 36X optical, 12X digital, fast 360 degree pan, OSD function, 128 presents, and 24V AC power supply, indoor, flash mount.	1 260,00 \$
SED-BK-PTZ		Ceiling Mount for PTZ26X / Auto Tracking PTZ 36X Designed to fit	72,00 \$
SED-BK-2636-COR		Corner Mount for PTZ26X / Auto Tracking PTZ 36X Designed to fit	96,00 \$
SED-BK-2636-POL		Pole Mount for PTZ26X / Auto Tracking PTZ 36X Designed to fit	96,00 \$
<b>PTZ Accessories</b>			
SED-PTZ-ATBOX		Tracking box for PTZ speed dome cameras, new and cost effective tracking solution for high speed PTZ cameras. Enable object tracking functions on normal speed domes	298,50 \$
SED-KB-FKB301		Intelligent 3D Keyboard, Support PEL-D, PEL-P, TopHiD1, TopHiP1, TopHiD2, TopHiP2	280,00 \$
SED-KB-JKB300		3 Axis Joystick Keyboard, RS485, Multi-protocol, Fit protocol: Minking A0, Minking B01, Santachi, Pelco-D, Pelco-P/4800Bps, Pelco-P/9600Bps, Panasonic, Longcomity, Hunda600, Lilin, Vicon, Molynx, Kalatel, VCL, Alec, Ultrak	292,60 \$
SED-BK-CORNER		Corner Mount Bracket for the PTZ Dome	86,40 \$
SED-BK-PTZ02		Pole Mount Bracket for the PTZ Dome	86,40 \$
SED-PTZ-CONVERT		RS232 TO 485 protocol. RS232,485 signal converter, 1 channel RS485 signal output, do not need power supply/support hot switch	40,00 \$
<b>Wireless Camera</b>			
SED-CAM-WL80212		1.2GHz/Pinhole CMOS/Audio/50mW	62,40 \$
SED-CAM-WL80224		2.4GHz/Pinhole CMOS/Audio/4 Channels	88,00 \$
SED-CAM-WL80412		1.2GHz/CMOS/Waterproof/Infrared/50mW	88,00 \$
SED-CAM-WL80424		2.4GHz Wireless Waterproof IR CMOS Camera, Transmitter & Receiver, 3.6mm board lens, Audio, 50 Meters IR Distance	112,00 \$
MX5842C		5.8GHz 8-CH 420-Res Color Pinhole CCD Camera & Rx Kit – 1000"	624,40 \$
MX5847V		5.8GHz 8-CH 420-Res Color 4–9mm Varifocal CCD Camera & Rx Kit – 1000"	677,60 \$
ZX-520SR40		5.8GHz All-Weather 8-CH 520-Res Color 8mm Sony CCD up to 40ft IR, Camera Only	631,40 \$
ZX-520SR100		5.8GHz All-Weather 8-CH 520-Res Color 8mm Sony CCD up to 100ft IR, Camera Only	687,40 \$
<b>Wireless Transmitter &amp; Receiver</b>			
RXO-5808R6		5.8GHz All-Weather 8-CH Internal 7dB Receiver Only	794,30 \$
TC-5808		5.8GHz 8 Channel DeskTop Tx & Rx Kit up to 1000ft – Indoor Use	476,00 \$
TCO-5808R6		5.8GHz IP-67 All-Weather 8-CH Tx & 7dB Gain Rx System up to 2000ft	1 387,50 \$
<b>Wireless Elevator Video System</b>			
WECSLP		2.4GHz Wireless Elevator System, Up to 45 Floors (Camera Included)	1 900,00 \$
EV-L2R5803		5.8GHz Digital Wireless Vandal Proof Color Elevator Camera System, Up to 200 Floors	3 966,00 \$
<b>Dummy Camera</b>			
SED-DUMMY-DBK		Dummy Dome Camera – Black This fake security dome camera mounts easy to ceiling or wall	12,80 \$
SED-DUMMY-OUT		Aluminum Outdoor Dummy Camera with Flash LED Light	28,80 \$
<b>CCTV Solution Surge Protection</b>			
DTK-PVP27B		DITEK's PVP27B protects all the sensitive feeds to fixed cameras, not just the video cable. Simple to install, the PVP27B protects 24 Volt power conductors and coaxial conductors in one compact package. With the lowest video let through voltage (and best surge protection) on the market, the PVP27B provides ideal surge protection for today's sensitive, high quality fixed cameras. Models are available to protect BNC, Coaxitron (PTZ), and Twisted Pair video. 10yr Warranty	100,80 \$
DTK-DP4P		DITEK's DP4P protects all the sensitive feeds to critical Balun connected Pan/Tilt/Zoom cameras, not just the video cable. Simple to install, the DP4P protects 24 Volt power conductors, 5 Volt RS-422 data pairs, and Balun UTP & coaxial conductors – all in one compact package. With the lowest video let through voltage (and best surge protection) on the market, the DP4P provides ideal surge protection for today's sensitive, sophisticated PTZ cameras. Models are also available to protect BNC Coax and Twisted Pair video.	172,50 \$
DTK-iBNC28		DITEK's inline coaxial surge protectors are designed for applications where a dedicated ground is impossible or impractical. Since there is no external ground, the iBNC protects video feeds without introducing ground loops. Fast and easy installation and solid performance make these a favorite of professional CCTV systems integrators. Fixed or Coaxitron PTX camera surge protector. Fixed camera protection: DTK-iBNC2.8 (2.8V video clamping). Coaxitron (PTZ) camera protection: DTK-iBNC6.8 (6.8V clamping).	83,20 \$
DTK-PVPIP		The DTK-PVPIP protects IP Video cameras and systems from surges on the network cabling and power supply lines. Low-impedance video/data protection allows full Gigabit Ethernet transmission speed; the 12V or 24V power protection is rated for 5 Amps per pair to power camera plus heaters, blowers, defrosters, or PTZ motors.	162,00 \$
<b>Lens - Megapixel</b>			

Code de produit	Image	Description	Prix (\$CDN)
SED-LEN-MP4.2		1.3 Megapixel 1/3" 4.2mm IR Corrected LENS, Fixed IRIS F1.8	48,00 \$
SED-LEN-MP4.510		1.3 Megapixel 1/2" 4.5-10mm IR Corrected LENS, Auto Iris, F1.6 CS Mount	225,00 \$
<b>Lens</b>			<b>demandez</b>
SED-LEN-BL1.8		1.8mm Wide Angle Board Lens 160 degree viewing angle	32,00 \$
SED-LEN-B2.1		2.1mm Wide Angle Board Lens 150 degree viewing angle	32,00 \$
SED-LEN-BL2.5		2.5mm Wide Angle Board Lens 135 degree viewing angle	32,00 \$
SED-LEN-BL2.8MM		2.8mm Wide Angle Board Lens 115 degree viewing angle	24,00 \$
SED-LEN-BL6MM		6mm Board Lens 53 degree viewing angle	17,60 \$
SED-LEN-BL8MM		8mm Board Lens 40 degree viewing angle	17,60 \$
SED-LEN-BL12MM		12mm Board Lens 25 degree viewing angle	20,80 \$
SED-LEN-BL16MM		16mm Board Lens 20 degree viewing angle	27,20 \$
SED-LEN-BL25MM		25mm Board Lens 13 degree viewing angle	44,80 \$
			<b>demandez</b>
SED-LEN-FL2.5MM		2.5mm Wide Angle Lens 135 degree viewing angle	44,80 \$
SED-LEN-FL2.8MM		2.8mm Wide Angle Lens 115 degree viewing angle	44,80 \$
SED-LENS-FL04		4mm F1.4 fixed lens/70 degree viewing angle	9,60 \$
SED-LENS-FL06		6mm F1.4 fixed lens/60 degree viewing angle	9,60 \$
SED-LENS-FL08		8mm F1.4 fixed lens/36.50 degree viewing angle	9,60 \$
			<b>demandez</b>
SED-LENS-AL58D		Smart Vision 3.5-8mm F1.4 vari-focal auto iris lens (DC drive)/81.9-35 degree viewing angle	48,00 \$
SED-LENS-AL65D		Smart Vision 6-15mm F1.4 vari-focal auto iris lens (DC drive)/48.1-18.60 degree viewing angle	57,60 \$
SED-LENS-AL82D		Smart Vision 2.8-12mm F1.4 vari-focal auto iris lens (DC drive)/95.6-22.10 degree viewing angle	84,80 \$
SED-LEN-660AU		Smart Vision 6-60mm DC Type Auto Iris CS Lens, CCTV Lens, The 6-60mm auto-iris lens is a step up in clarity and range. High quality optics provides the best CCTV image, and the 6-60mm varifocal adjustment allows for a range of applications. Angle of View: 44-7.7 degree	100,00 \$
SED-LEN-5100A		SmartVision 5-100mm DC Type Auto Iris CS Lens, CCTV Lens, The 5-100mm auto-iris lens is a step up in clarity and range. High quality optics provides the best CCTV image, and the 5-100mm varifocal adjustment allows for a range of applications. Angle of View: 53.6-5.5 degree	156,00 \$
<b>VGA Splitter, Video Converters, TV Modulator, KVM Switch, Video Distributor</b>			
SED-ADP-VSP-2		2 Port VGA Splitter Slip a CPU signal to 2 monitors, projections or other video outputs, crystal clear video, up to 1600 x 1280, can extend CPU and monitor up to 50 meters, Power Adaptor Included	40,00 \$
SED-ADP-VSP-4		4 Port VGA Splitter Slip a CPU signal to 4 monitors, projections or other video outputs, crystal clear video, up to 1600 x 1280, can extend CPU and monitor up to 50 meters, Power Adaptor Included	56,00 \$
SED-ADP-VSP-8		8 Port VGA Splitter Slip a CPU signal to 8 monitors, projections or other video outputs, crystal clear video, up to 1600 x 1280, can extend CPU and monitor up to 50 meters, Power Adaptor Included	72,00 \$
SED-ADP-CT750		Galaxy Video Converter RCA/BNC to VGA	73,60 \$
SED-ADP-VC200		VGA to TV Video Converter VGA to NTSC/PAL Video Converter – allow information from your computer (VGA to be viewed on a TV in either PAL or NTSC)	81,60 \$
SED-ADP-TV06S		Digital Video + Audio Signal to TV Channel Modulator (Made in Taiwan)	158,40 \$
SED-ADP-KVM-2		2 Port VGA PS2 Keyboard Mouse KVM Switch Box, Share your monitor, keyboard, and mouse with up to 2 computers, with cables	35,20 \$
SED-ADP-KVM-4		4 Port VGA PS2 Keyboard Mouse KVM Switch Box, Share your monitor, keyboard, and mouse with up to 4 computers, with cables	64,00 \$
SED-ADP-DISTRIB		1 X 4 BNC Video Distribution Amplifier with Audio	48,00 \$

Code de produit	Image	Description	Prix (\$CDN)
SED-ADP-DISTR-8		1 X 8 BNC Video Distribution Amplifier with Audio	72,00 \$
<b>Quad Video Processor</b>			demandez
SED-QUAD-8CH		8 Channels Color Quad with Remote Control High definition, 720x480, multiple display mode, real time display, motion warning, remote control included, power adaptor	144,00 \$
<b>Microphone</b>			
SED-MIC-001		Audio Microphone for CCTV Camera	26,40 \$
<b>Cable</b>			
SED-CAB-P-4		Galaxy 1 to 4 Power Splitter – 100pcs/bag Inner Dia: 2.1mm, Out Dia: 5.5mm, UL319621 Rated, Riser Type (CMR) UL	6,00 \$
SED-CAB-PT-FEMA		Galaxy Power Pigtail Cable – Female – 100pcs/bag – 12 Inches UL 319621 Rated, Riser Type (CMR), UL	1,58 \$
SED-CAB-PT50		DC Cord with plug (2.1*5.5mm) and screw terminal /50cm lead	3,18 \$
SED-CAB-PT2		Galaxy Power Pigtail Cable – Male – 100pcs/bag – 12 Inches UL 319621 Rated, Riser Type (CMR), UL	1,58 \$
SED-CAB-PB25FT		Galaxy BNC + Power Cable All in 1 High Quality Cable 25FT UL Rated – 48pcs per box	12,80 \$
SED-CAB-PB50FT		Galaxy BNC + Power Cable All in 1 High Quality Cable 55FT UL Rated – 20pcs per box	16,00 \$
SED-CAB-PB75FT		Galaxy BNC + Power Cable All in 1 High Quality Cable 75FT UL Rated – 16pcs per box	19,20 \$
SED-CAB-PB100FT		Galaxy BNC + Power Cable All in 1 High Quality Cable 100FT UL Rated – 5pcs per box	28,80 \$
SED-CAB-PB150FT		Galaxy BNC + Power Cable All in 1 High Quality Cable 150FT UL Rated – 5pcs per box	41,60 \$
SED-CAB-PB200FT		Galaxy BNC + Power Cable All in 1 High Quality Cable 200FT UL Rated – 10pcs per box	52,80 \$
SED-CAB-RG59		RG59/U 1000FT Coaxial 75 Ohm cable, 65% Copper, Spool, UL FT4	96,00 \$
SED-CAB-RG59COP		RG59/U 1000FT Coaxial 75 Ohm cable, 95% Copper, Spool, UL FT4	152,00 \$
SED-CAB-RG6		RG6/U 1000FT Coaxial 75Ohm cable, high quality, Spool, UL FT4 65% Copper	96,00 \$
SED-CAB-BNC-POW		Galaxy Siamese Cable - 500Feet Coaxial RG59/U w/18/2 Power/Video Cable RG59 Coaxial Cable – 2 Core x 18 Gauge Power Cable/Conductor: 20AWG Copper/Shield: 95% Coverage Braid/UL E319621 UL CM Rated, FT4 CSA/Gross Weight: 13KG	126,40 \$
CAB-RJ45-3FEET		3'RJ45 CAT5E STRAIGHT TROUGHT CABLE	2,40 \$
CAB-RJ45-6FEET		6'RJ45 CAT5E STRAIGHT TROUGHT CABLE	3,04 \$
CAB-RJ45-10FEET		10'RJ45 CAT5E STRAIGHT TROUGHT CABLE	4,00 \$
CAB-RJ45-15FEET		15'RJ45 CAT5E STRAIGHT TROUGHT CABLE	5,60 \$
CAB-RJ45-25FEET		25'RJ45 CAT5E STRAIGHT TROUGHT CABLE	6,40 \$
CAB-RJ45-50FEET		50'RJ45 CAT5E STRAIGHT TROUGHT CABLE	12,00 \$
CAB-RJ45-75FEET		75'RJ45 CAT5E STRAIGHT TROUGHT CABLE	15,20 \$
CAB-RJ45-100FEET		100'RJ45 CAT5E STRAIGHT TROUGHT CABLE	22,40 \$
SED-CAB-CAT5EUL		Cat 5E 1000FT Bulk Network Cable in Pull Box – Blue Color – High Quality UTP CAT5E/24AWG/CMR/FT4/UL/CSA – Beige High Quality to be use with video balun	126,40 \$
SED-CAB-225473		NETX Cable RJ45 UTP Cat 6 Blue Solid CMR FT-4 (1000ft/roll)	214,50 \$
SED-CAB-POWER		NETX Cable Station Z Alarm wire 4C/22 FT-4 (1000FT/roll)	94,40 \$
SED-CAB-POWER-2		Galaxy Power Cable – 1000FT Fire Alarm Cable – 2 Conductor 18 AWG – Black Jacket 2 Core x 18 Gauge, 1000FT / Spool / UL, FT4, CSA	110,40 \$
CAB-VGA-EXT-6FT		VGA EXTENSION CABLE 6 FEET (M-F)	12,80 \$
CAB-VGA-EXT-10FT		VGA EXTENSION CABLE 10 FEET (M-F)	17,60 \$
CAB-VGA-EXT-15FT		VGA EXTENSION CABLE 15 FEET (M-F)	35,20 \$
CAB-VGA-EXT-25FT		VGA EXTENSION CABLE 25 FEET (M-F)	52,80 \$
CAB-VGA-15FT		VGA TO VGA HEAVY DUTY CABLE M-M 15FT	24,00 \$
CAB-VGA-25FT		VGA TO VGA HEAVY DUTY CABLE M-M 25FT	32,00 \$
CAB-VGA-50FT		VGA TO VGA HEAVY DUTY CABLE M-M 50FT	60,80 \$
CAB-VGA-75FT		VGA TO VGA HEAVY DUTY CABLE M-M 75FT	72,00 \$
CAB-VGA-100FT		VGA TO VGA HEAVY DUTY CABLE M-M 100FT	78,40 \$

Code de produit	Image	Description	Prix (\$CDN)
CAB-VGA-150FT		VGA TO VGA HEAVY DUTY CABLE M-M 150FT	136,00 \$
CAB-VGA-200FT		VGA TO VGA HEAVY DUTY CABLE M-M 200FT	152,00 \$
CAB-HDMI-6FT		6 Feet Heavy Duty HDMI to HDMI Cable	16,80 \$
CAB-HDMI10FT		10 Feet Heavy Duty HDMI to HDMI Cable	26,40 \$
CAB-HDMI-25FT		25 Feet Heavy Duty HDMI to HDMI Cable	57,60 \$
CAB-HDMI-20M		60 Feet Heavy Duty HDMI to HDMI Cable	54,40 \$
CAB-HDMI-30M		90 Feet Heavy Duty HDMI to HDMI Cable	78,40 \$
<b>Connector &amp; Tool</b>			
SED-ADP-7012		BNC Plug twist on - RG59	1,58 \$
SED-ADP-7013		BNC Plug twist on - RG6	1,58 \$
SED-ADP-7088GOO		BNC Plug Compression - RG59	2,32 \$
SED-ADP-7089		BNC Plug Compression - RG6	2,32 \$
SED-ADP-7050		BNC Male to RG6 Connector	1,58 \$
SED-ADP-7056		BNC (Male) to RCA (Female) connector (100pcs per bag)	1,58 \$
SED-ADP-7057		BNC (Male) to RCA (Male) connector (100pcs per bag)	1,58 \$
SED-ADP-7035		BNC Connector - BNC Male to BNC Female	2,40 \$
SED-ADP-7061		Double BNC Female	1,58 \$
SED-ADP-7077		BNC Male to Double BNC Female	2,64 \$
SED-ADP-FEMALE		Female Plug for Power Cable 100pcs Per Bag	2,40 \$
SED-ADP-MALE		Male Plug for Power Cable 100pcs Per Bag	2,40 \$
CAB-RJ45-CONNEC		100pcs RJ-45 Connector, Copper, High Quality	40,00 \$
SED-TOOL-STRIPP		Coaxial stripper for RG58, 59, 62, 6 (Made in Taiwan)	17,60 \$
SED-TOOL-RJ45		RJ45 Crimper, Cutter (Made in Taiwan)	24,00 \$
SED-TOOL-HV5081		All in One Professional Waterproof Connector Crimping Tool (Made in Taiwan) For use on RG-59 and RG6 F, BNC, RCA, right angled and keystone module compression connectors	80,00 \$
<b>Power Transformer, Power Distribution Box</b>			
SED-POWER-1A		DC Regulated Power Adaptor, Model: ADS-1210TA, Input: AC110V 50/60Hz Output: 12V 1.0A, FCC UL Listed.	9,60 \$
SED-POWER-19V		19V Power Supply for Standalone DVRs	80,00 \$
SED-POWER-5.0		Galaxy DC Power Adaptor, 12V, 5000mA, Input: 100-240VAC 50/60Hz 2A, CSA FCC Approved	35,20 \$
SED-POWER-5.0 + SED-CAB-P-4		Galaxy DC Power Adaptor, 12V, 5000mA, Input: 100-240VAC 50/60Hz 2A, CSA FCC Approved, with 4 Power Splitter Combo, Supply power for 4 cameras	41,76 \$
SED-POWER-24V		Plug-In Transformer, Input: 120VAC 60Hz 0.23A, Output: 24VAC 40VA, UL Approved	23,20 \$
SED-POWER-91210		Galaxy 9 CH 10A Power Distribution Box/Input: 100-240VAC, 50/60Hz 2A/Output: 12V 1.1A x 9 Path/CSA UL Listed/Short Protection/Over Current Protection/Over Voltage Protection/Indoor Use Only	126,40 \$
SED-POWER-1818A		18 output/12VDC/18A/max.1ampere/regulated power distribution box, CE, UL approved, with keys and LED power indicator 1000ma per channel only	163,50 \$
SED-POWER-24V9		AC 24V 3A 9CH Outputs CCTV Power Supply Box (PTC Fuse) UL Approved	110,40 \$
SED-POWER-24V18		AC 24V 5A 18CH Outputs CCTV Power Supply Box (PTC Fuse) UL Approved	152,00 \$
SED-POWER-1AFUS		1.0 AMP Quick Blow Glass Fuses for 9/18 Channels power distribution boxes to increase each channel from 500ma to 1.0amp	3,20 \$
SED-POWER-500		24VAC to 12VDC converter - 1.5A	42,24 \$
<b>Video Balun / UTP (Unshielded Twisted Pair)</b>			
SED-BALUN-202E		Galaxy 1CH Passive Video Transceiver/up to 2000ft/BNC connection/No Power Required, 1 pair per package	16,00 \$
SED-BALUN-213A		1CH Video and 12V DC Power, Transmit Distance: 400-600 meters RJ45 Port, 1 pair per package	30,72 \$

Code de produit	Image	Description	Prix (\$CDN)
SED-BALUN-621B		Camera Video, Audio, Power Balun UTP Network Transceiver (1 pair) RJ45 Cable Direct Plug, Transmission Distance: 2200FT, AC 24V, 1 pair per package	30,72 \$
SED-BALUN-213BC		Camera Video, Audio, Power Balun UTP Network Transceiver (1 pair) RJ45 Cable Direct Plug, Transmission Distance: 1800FT, DC12V, 1 pair per package	30,72 \$
SED-BALUN-621C		Camera Video, Audio, Power Balun UTP Network Transceiver (1 pair) RJ45 Cable Direct Plug, Transmission Distance: 1800FT, AC 24V, 1 pair per package	30,72 \$
SED-BALUN-2044R		4 Port Video Balun, 4 BNC ports on Each, Can be easy connect with computer network cable RJ45 Crystal Head Plug into the port of RJ45, 1pc, Support: 400 meters color/600 meters black/white, 1 pc	35,20 \$
SED-BALUN-351TR		1CH Video Active Balun, Transmit Distance: 2400-3000 Meters, DC12V	76,80 \$
SED-BALUN-301R		1CH Video Active Balun, Receiver, Transmit Distance: 2400-3000 Meters	38,40 \$
SED-BALUN-301T		1CH Video Active Balun, Transmitter, Transmit Distance: 2400-3000 Meters	38,40 \$
<b>Testing Monitor &amp; LCD Monitor</b>			
SED-MON-2.5		2.5" Color TFT-LCD Service Monitor (Small, Portable and Hands-Free Operation)	158,40 \$
SED-MON-3.5		3.5" Color TFT-LCD Service Monitor (Small, Portable and Hands-Free Operation)	217,50 \$
SED-MON-TYL281		CCTV Security Tester, NTSC/PAL (Auto Adjust), 2.8 inch TFT-LCD, 960x240 resolution, 1 Channel BNC Input & 1 Channel Output, RS232, RS422 simplex and RS485, Pelco-D, Pelco-P, Samsung, Panasonic, LiLin or customized, 150, 300, 600, 1200, 2400, 4800, 9600, 19200bps Baud Rate, Test UTP cable connection status and display in the screen, Read the number of the test box, Capture and Analyze the PTZ data send from controlling device	350,00 \$
SED-MON-MT334		CCTV Security Tester Pro, NTSC/PAL (Auto Adjust), 3.5" Inch TFT-LCD, 960x240 Resolution, Brightness, Contrast, Saturation adjustable, 1 Channel BNC Input & 1 Channel Output, RS232, RS422 simplex and RS485, Pelco-D, Pelco-P, Samsung, Panasonic, LiLin or customized, 150, 300, 600, 1200, 2400, 4800, 9600, 19200bps Baud Rate, Output 1 channel color bar video signal for testing monitor or video cable	644,00 \$
MON-LCD-19		19" LCD MONITOR LG 3YRS WARRANTY	253,50 \$
LCD-AG-SC17		AG Neovo 17" Security Surveillance Series LCD Monitor, High 1280 x 1024 SXGA resolution, Anti-Burn-in technology, BNC in x 1, BNC out x 1, Quick signal-switching time	390,60 \$
LCD-AG-SC19		AG Neovo 19" Security Surveillance Series LCD Monitor, High 1280 x 1024 SXGA resolution, Anti-Burn-in technology, BNC in x 1, BNC out x 1, Quick signal-switching time	488,60 \$
<b>IR Illuminator</b>			
SED-IR-30		Waterproof IR Illuminator – 30 Meters DC12V Power Adapter not included	64,00 \$
SED-IR-60M		Waterproof IR Illuminator – 60 Meters AC110V Power Adapter not Included	110,40 \$
SED-IR-80		Waterproof IR Illuminator – 80 Meters AC110V Power Adapter not Included	140,80 \$
<b>Camera Housing and Bracket</b>			
SED-HOUSING-HB		Aluminum housing/beige/back open/142(W)x115(H)x370(L)mm/with heater & blower (12V DC)	52,80 \$
SED-HOUSINGHB24		Aluminum housing/beige/back open/142(W)x115(H)x370(L)mm/with heater & blower (24V AC)	52,80 \$
SED-BK-ALU08		Heavy Duty Mounting Bracket, Beige Color, Max: 10KG, 360 degree swivel head, 105mm	9,60 \$
SED-BK-12H		Aluminum bracket/Silver/for housing/205mm length/swivel angel: 360/tilt angel: 120/max load: 10kg	14,40 \$
SED-BK-59		Black Bracket for Camera	8,00 \$
SED-BK-02		65mm Short Camera Mounting Bracket, Over 90 Degree Position Range for Ceiling, Wall, or Roof Mounting, Weather Resistant Powder Coat, Ball-jointed for Easy Angle Adjustment	11,20 \$
SED-BK-B01		Camera bracket, High:18cm/7 inch	7,20 \$
SED-BK-SAB08		Heavy duty camera bracket, High:13cm/5 inch	11,04 \$
SED-BK-SAB08B		Heavy duty camera bracket, High:16cm/6.5 inch	12,00 \$
SED-BK-SAB04		Aluminum Bracket L Type	9,12 \$
SED-BK-B12		Curved Dome Camera Bracket for SVD751	49,60 \$
SED-BK-DOME		Aluminum dome bracket	19,20 \$
SED-BK-PTZ902CM		Ceiling Mount Bracket for PTZ902 Mini Speed Dome, Bracket Only	30,40 \$
SED-BK-PTZ-MINI		Wall Mount Bracket for PTZ 10X Auto Tracking PTZ Cameras	72,00 \$
SED-BK-CORNER		Corner Mount Bracket for the PTZ Dome	62,40 \$
SED-BK-PTZ		Ceiling Mount for PTZ26X / Auto Tracking PTZ 36X Designed to fit	72,00 \$
SED-BK-2636-COR		Corner Mount for PTZ26X / Auto Tracking PTZ 36X Designed to fit	96,00 \$

Code de produit	Image	Description	Prix (\$CDN)
SED-BK-2636-POL		Pole Mount for PTZ26X / Auto Tracking PTZ 36X Designed to fit	96,00 \$
SED-BK-WM		Heavy Duty Wall Mount Bracket for Vandal Proof Dome Camera, SVD564, SVD554, SVD354, Made in Korea	80,00 \$
SED-BK-CMBT01		Ceiling Mount Bracket for Vandal Proof IR Dome Camera, Ivory, Easy Installation, Compatible with Wonwoo & CNB Dome Camera, Made in Korea	89,60 \$
SED-BK-BT03		Black, Plastic Wall Mount Bracket (Compatible with Wonwoo & CNB dome camera) Made in Korea	19,20 \$
<b>DVR Lockbox w/Fan</b>			
SED-LOCK-BOX1		DVR lockbox with fan, interior dimensions 18" x 18" x 5" LxDxH, Vented and includes fan for additional ventilation, interlocking lift off lid, key locked hinging front door, black powder coat finish	223,50 \$
SED-LOCK-BOX2		DVR lockbox with fan, interior dimensions 21" x 21" x 8" LxDxH, Vented and includes fan for additional ventilation, interlocking lift off lid, key locked hinging front door, black powder coat finish	320,60 \$
<b>CCTV Sign</b>			
SED-SIGN-STICKE		CCTV Warning Sticker – Small Size 10cm(h) x 10cm (w)	1,58 \$
SED-SIGN-PVC		CCTV Warning Sign Plastic – Big Size 30cm(h) x 30cm(w)	3,18 \$
SED-SIGN-BIG-ST		CCTV Warning Sticker – Big Size 30cm(h) x 30cm (w)	3,18 \$
<b>LCD/TV Display Mount</b>			
MOUNT-L120-M		Galaxy – LCD/TV Mount – Fit most 10" – 26" Flat Panel LCD/TV - Silver	46,40 \$
MOUNT-PK200-A		Galaxy PK200A Workspace Desktop Mount - Single	110,40 \$
MOUNT-PK200-B		Galaxy PK200A Workspace Desktop Mount - Double	92,80 \$
LCD-CV-LB111S		23" – 37" Smart Mount Tilt LCD TV PDP mount, Silver Color	86,40 \$
MOUNT-FS-T1200		Galaxy – Floor Standing TV Mount – Fits most 32" – 55" Flat Panel TV	295,40 \$
MOUNT-FS-T1800		Galaxy – Floor Standing TV Mount – Fits most 37" – 55" Flat panel TV With wheel (Easy moving)	383,60 \$
MOUNT-FS-NBCU		Fitting for Cameras (for floor standing TV mounts)	62,40 \$
<b>Audio/Video Intercom</b>			
VDP-VDK988		4" Color Video Door Phone Set – 4 Wire System	208,50 \$
VDP-06DNS7V1		Genway Video Door Phone Set, 5" LCD indoor phone, SONY CCD door station, Support up to 2 door stations and 4 indoor phones, surface mount, Day/Night function	298,50 \$
VDP-06DNS-POWER		Power Adapter for VDP-06DNS7V1	24,00 \$
VDP-SWITCH4300		Door Station Switch, Support Linking up 2 outdoor stations to 4 indoor phones	78,40 \$
VDP-KCVD352KIT		Kocom 2 wire video intercom, 3.5" Color LCD, Support 1 camera and 2 monitors, OSD, surface mount 12V DC, Lens angle adjustable, Made in Korea	336,00 \$
VDP-KCV-D352		Kocom 3.5" LCD monitor only for 2 wire system, Made in Korea	195,00 \$
VDP-KCV-D372KIT		Kocom 2 wire video intercom, 7" Color LCD, Support 1 camera and 2 monitors, OSD, surface mount 12V DC, Lens angle adjustable, Made in Korea	417,20 \$
VDP-KCV-D372		Kocom 7" LCD monitor only for 2 wire system, Made in Korea	270,00 \$

▣ Garantie de un an sur toutes les pièces sauf indications contraires.

▣ Prix sujet à changement. Téléphonnez pour confirmation des prix.

▣ Image à titre indicatif. Peut différer.